



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/530,013	04/24/2000	HIROYUKI SHIMIZU	32-254P	7526

2292 7590 12/18/2003

BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

GITOMER, RALPH J

ART UNIT	PAPER NUMBER
----------	--------------

1651

DATE MAILED: 12/18/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/530,013

Applicant(s)

SHIMIZU ET AL.

Examiner

Ralph Gitomer

Art Unit

1651

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-6 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-6 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

The RCE Request and amendment received 9/30/2003 as well as the previous after final amendment received 6/5/2003 have been entered and claims 1, 3-6 are currently pending in this application.

All previous rejections are hereby withdrawn in view of the amendments to the claims and arguments presented.

The claims are directed to a method for inhibiting the degradation of peptides, to any degree because no results are claimed, by placing the peptides in a container made of silicone or plastic. This is anticipated by placing such peptides in any container made of silicone or plastic with any result. Claim 5 specifies no aprotinin is added to the container. The arguments presented focus on the absence of any degradation inhibiting agents.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3-6 are rejected under 35 U.S.C. 102(b) as being anticipated by each of Lindberg and Clerico.

Lindberg (Pharmacology & Tox) entitled "Adsorption of Atrial Natriuretic Peptide to Different Materials" teaches on page 278 column 2 first full paragraph, loss of recovery of ANP at different concentrations in different containers was determined where the containers include siliconized glass and coated polymers including polystyrene. See page 278 Fig. 4 which shows siliconized glass, polypropylene, glass, polystyrene, and polyethylene containers. On page 279, Fig. 5 shows ANP in solutions with and without degradation inhibiting compounds.

Clerico (Clin Chem) entitled "Analytical Performance and Clinical Usefulness of a Commercially Available IRMA Kit for Measuring Atrial Natriuretic Peptide in Patients With Heart Failure" teaches on page 1631 column 2 last paragraph, storage of ANP degrades it. On page 1628 column 1 polypropylene tubes were used for storage. On page 1629 first column, ANP was added with or without plasma protease inhibitors (EDTA and aprotinin) and tested for degradation.

All the features of the claims are taught by each of the above references for the same function as claimed.

Claims 3 and 4 are rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Each of the following applies in all occurrences.

Claims 3 and 4 depend from claim 2 which has been canceled.


The title of the invention is not aptly descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The Abstract of the Disclosure is objected to because of legal phraseology. Correction is required. See M.P.E.P. § 608.01(b).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ralph Gitomer whose telephone number is (703) 308-0732. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached on (703) 308-1235. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-4556.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1235.


Ralph Gitomer
Primary Examiner
Art Unit 1651

RALPH GITOMER
PRIMARY EXAMINER
GROUP 1200